

Move your world



TOYOTA
HILUX





INTERIOR FEATURES



AIR CONDITIONER



ASSIST GRIP



COMFORTABLE SEATS



COMBINATION METERS



OVERHEAD CONSOLE




UPPER BOX



INTERIOR FEATURES



REAR CUP HOLDERS



AMPLE STORAGE



**LARGE HEADLAMPS
WITH REFLECTORS**



REAR WINDOW



SRS AIRBAG



HILUX
BOUNTIFUL DECK SPACE




BUILT QUALITY




**NOISE ABSORBING, NOISE INSULATING
AND VIBRATION DAMPING MATERIALS**




SUSPENSION



**ANTI CORROSION
STEEL SHEETING**



**HIGH TENSILE
STEEL SHEETING**



FOLDING SEATS

SPECIFICATIONS


Dimensions & Vehicle Weights			GUN125R-DTFLX	GUN125R-DTFSX	GUN126R-DTTSX
Overall	Length x Width x Height	mm	5330 x 1885 x1815	5330 x 1885 x1815	5330 x 1885 x1815
	Wheel Base	mm	3085	3085	3085
Overhang	Front/Rear	mm	985/1255	985/1255	985/1255
Interior	Length x Width x Height	mm	1697 x 1480 x 1170	1697 x 1480 x 1170	1697 x 1480 x 1170
Gross Vehicle Weight		kg	2910	2910	2910
Curb Weight	Min/Max	kg	2000/2075	2045/2100	1985/2085
Fuel Tank Capacity	Total	L	80	80	80
Engine					
Engine	Model Code		2GD-FTV (Hi)	2GD-FTV (Hi)	1GD-FTV (Hi)
	No of Cyls & Arrangement		4-Cyls. IN LINE	4-Cyls. IN LINE	4-Cyls. IN LINE
	Valve Mechanism		16-Valve DOHC	16-Valve DOHC	16-Valve DOHC
	Displacement	m3	2393	2393	2755
	Fuel System		Fuel Injection	Fuel Injection	Fuel Injection
	Fuel Type		Diesel	Diesel	Diesel
Max. Output	kW/RPM		110/3400	110/3400	150/3000-3400
Max. Torque	Nm/RPM(min-max)		400/1600-2000	400/1600-2000	500/1600-2000
Performance					
Min. Turning Radius	Tire	m	6.4	6.4	6.4
	Body	m	6.7	6.7	6.7
Drive Train					
Transmission	Type		6 Speed MANUAL	6 Speed MANUAL	6 Speed AUTOMATIC
Brake System					
Brake Type	Front		Ventilated disc brake with fixed caliper 4- cylinder	Ventilated disc brake with fixed caliper 4-cylinder	Ventilated disc brake with fixed caliper 4-cylinder
	Rear		Leading-Trailing Drum Brake	Leading- Trailing Drum Brake	Leading- Trailing Drum Brake
Steering System					
Power Steering Type			Hydraulic	Hydraulic	Hydraulic

SPECIFICATIONS

Exterior		GUN125R-DTFLX	GUN125R-DTFSX	GUN126R-DTTSX
Tire and Disc Wheel		265/65R17 ALL TERRAIN STEEL GENERAL BLACK	265/65R17 ALL TERRAIN ALUMI (PU)	265/65R17 ALL TERRAIN STEEL GENERAL BLACK
Wireless/ Smart Door Lock		With Jack Knife Key	With Jack Knife Key	With Jack Knife Key
Head Lamp		4-BULB HALOGEN MULTI	4-BULB HALOGEN MULTI	4-BULB HALOGEN MULTI
Interior				
Steering Column		Tilt & Telesco (W/ Lock)	Tilt & Telesco (W/ Manual mechanical lock)	Tilt & Telesco (W/ Manual mechanical lock)
Seating Capacity		5	5	5
Rear Seat		D CAB 1PC CUSHION TIP UP	D CAB 1PC CUSHION TIP UP	D CAB 1PC CUSHION TIP UP
Seat Material		Full LO for Pick Up	Full HI for Pick Up	Full LO for Pick Up
Sun Visor		DRIVERS (HOLDER)+PASSENGER (PVC)	DRIVERS(HOLDER) +PASSENGER(MIR+LID) PVC	DRIVERS(HOLDER) +PASSENGER(MIR+LID) PVC
Inside Rear View Mirror		Day & Night	Day & Night	Day & Night
Room Lamp		Dome 1 Pc	Dome 1 Pc	Dome 1 Pc
Air Conditioner		MANUAL	MANUAL	MANUAL
Multi Information Display		WITHOUT	Large TFT	Large TFT
Safety				
ABS(ANTI-LOCK BRK SYSTEM)		WITH	WITH	WITH
SIDE COLLISION AIRBAG		With (Driver & Passenger)	With (Driver & Passenger), Knee for Driver	With (Driver & Passenger), Knee for Driver
REAR SEAT BELT		3P ELR*2 + 2P NR*1	3P ELR*2 + 2P NR*1	3P ELR*2 + 2P NR*1
FRONT SEAT BELT		3P ELR*2 PRETEN FORCE LIMITER D&P	3P ELR*2 PRETEN FORCE LIMITER D&P	3P ELR*2 PRETEN FORCE LIMITER D&P

***Disclaimer**

- Toyota Motor Corporation may change specifications, equipment, and features without notice.
- Models, equipment, and colours shown may differ from those available in your area.
- For accurate, updated information, please contact your local dealer.
- The actual product may vary slightly from the image shown.





GRAY ME. (1G3)



ATTITUDE BLACK MC. (218)



SUPER WHITE 2 (040)



SILVER ME. (1D6)



DARK BLUE MC. (8X8)



Trade Intercontinental,
213/A Tejgaon Industrial Area, Dhaka, Bangladesh

Phone: 09643333777 (Showroom)
09643333666 (Office)

www.facebook.com/ToyotaBangladesh

www.toyota-bd.com

